

Fig. 1A




Fig. 1B

Measurement of Cell Surface Receptor Dimers




Fig. 1C

Homodimers




Fig. 1D




Fig. 1E

REPLACEMENT DRAWINGS

Title: ERBB HETERODIMERS AS BIOMARKERS

Inventor(s): Po-Ying Chan-Hui et al.

Atty. Docket No.: 25237-12978

Sheet 6 of 36




Fig. 1F




Fig. 1G




Fig. 1H




Fig. 2A

Assay	Receptor-Specific Antibody			Membrane
	1	2	3	
I	PS	T ₂	T ₃	+
II	---	T ₂	T ₃	+
III	PS	---	T ₃	+
IV	PS	T ₂	---	+
V	PS	T ₂	---	-

Fig. 2B






Fig. 2C






Fig. 2F

REPLACEMENT DRAWINGS

Title: ERBB HETERODIMERS AS BIOMARKERS

Inventor(s): Po-Ying Chan-Hui et al.

Atty. Docket No.: 25237-12978

Sheet 13 of 36




Fig. 3A




Fig. 3B




Fig. 3C




Fig. 3D




Fig. 3E




Fig. 4A




Fig. 4B




Fig. 4C




Fig. 4D




Fig. 4E




Fig. 5A




Fig. 5B




Fig. 5C




Fig. 6A




Fig. 6B




Fig. 7




Fig. 8B




Fig. 8A




Fig. 9A




Fig. 9B




Fig. 10A




Fig. 10B






Fig. 10C



PI3K/Her-3 Complex in MCF-7 Cells




Fig. 12A




Fig. 12B




Fig. 12C




Fig. 12D




Fig. 13




Fig. 14B




Fig. 14A




Fig. 15A




Fig. 15B

FFPE Sections of MCF-7 Cells on Glass Slides




Fig. 15C

FFPE Sections of 22Rv1 Cells on Glass Slides




Fig. 15D




Fig. 15E




Fig. 15F




Fig. 15G